
Contents

Contents	ix
1 Introduction	1
1.1 Towards a modern picture of stellar evolution	2
1.2 Modern massive star evolution	6
1.2.1 Stellar wind mass loss	6
1.2.2 Interior mixing and rotation	8
1.2.3 Binary star evolution	10
1.3 This thesis	12
1.3.1 Role of binary star evolution in coeval stellar populations	13
1.3.2 The BONNSAI project	14
2 Evolution of mass functions of coeval stars through wind mass loss and binary interactions	19
2.1 Introduction	20
2.2 Method	21
2.2.1 Rapid binary evolution code	21
2.2.2 Initial distribution functions	23
2.2.3 Binary parameter space	24
2.2.4 Construction of mass functions	29
2.3 Modulation of mass functions by stellar evolution	29
2.3.1 Single star populations	29
2.3.2 Binary star populations	33
2.3.3 Stellar populations with varying binary fractions	36
2.3.4 Quantification of evolutionary effects on the PDMF	37
2.4 Blue straggler stars	40
2.4.1 Expected and observed blue straggler star frequencies	40
2.4.2 Binary fraction of blue straggler stars	43
2.4.3 Apparent ages of blue straggler stars	45
2.5 Determination of star cluster ages	46
2.6 Conclusions	47
2.7 Supplementary material	49
2.7.1 Binary parameter space continued	49
2.7.2 Uncertainties in the models	56
2.7.3 Unresolved binary stars	57
2.7.4 Stochastic sampling	58

3	Ages of young star clusters, massive blue stragglers and the upper mass limit of stars	61
3.1	Introduction	62
3.2	Methods and observational data	63
3.2.1	Rapid binary evolution code	63
3.2.2	Initial distribution functions for stellar masses and orbital periods	64
3.2.3	Monte Carlo experiments	64
3.2.4	Observations	65
3.2.5	Binning procedure of mass functions	66
3.3	Analyses of the Arches and Quintuplet clusters	66
3.3.1	The Arches and Quintuplet mass functions	66
3.3.2	The ages of Arches and Quintuplet	69
3.4	Stochastic sampling of binary populations	70
3.5	The stellar upper mass limit	73
3.6	Uncertainties	75
3.6.1	Modelling uncertainties	75
3.6.2	Observational uncertainties	78
3.6.3	Dynamical interactions in star clusters	80
3.6.4	Star formation histories	80
3.7	Conclusions	81
3.8	Supplementary material	83
3.8.1	Star formation histories cont.	86
4	BONNSAI: a Bayesian tool for comparing stars with stellar evolution models	89
4.1	Introduction	90
4.2	Method	91
4.2.1	Bayes' theorem	91
4.2.2	Bayesian stellar parameter determination	92
4.2.3	Likelihood function	93
4.2.4	Prior functions	93
4.2.5	Stellar model grids	95
4.2.6	Goodness-of-fit	95
4.2.7	Our new approach in practice	98
4.3	Testing BONNSAI with mock stars	99
4.3.1	Mock Star A	99
4.3.2	Mock Star B	102
4.4	Testing stellar evolution models with eclipsing binaries	104
4.4.1	Description of our test	108
4.4.2	The role of rotation in Milky Way binaries	109
4.4.3	The ages of primary and secondary stars	110
4.4.4	Effective temperatures and bolometric luminosities	115
4.5	Conclusions	117
5	The age distribution of massive O and WN stars in 30 Doradus	119
5.1	Introduction	120
5.2	Method	121
5.2.1	Atmosphere modelling	121

5.2.2	BONNSAI	123
5.2.3	Sample selection	124
5.2.4	Incompleteness correction	125
5.3	Our sample of massive VFTS stars	126
5.3.1	Hertzsprung–Russell diagram	127
5.4	The ages of the massive VFTS stars	129
5.4.1	The whole 30 Dor region	129
5.4.2	The R136 region	132
5.4.3	The NGC 2060 region	136
5.4.4	Stars outside R136 and NGC 2060	138
5.4.5	The age of the central R136 cluster	138
5.4.6	The overall star formation process	140
5.5	Discussion	143
5.5.1	The ages of our sample stars in context of previous investigations	143
5.5.2	Massive star formation in isolation	144
5.5.3	Runaway stars	144
5.5.4	Binary products	146
5.6	Conclusions	147
5.7	Supplementary material	148
5.7.1	Discrepant stars	148
6	Outlook	155
	Curriculum Vitae	159
	List of publications	161
	Acknowledgements	165
	Bibliography	167