
Contents

1	Introduction	1
1.1	Motivation	1
1.2	Dedication of this work	4
1.3	How to measure Dark Matter	5
1.4	Organization of the thesis	8
2	First-principle calculations of Dark Matter scattering off light nuclei	9
2.1	Introduction	12
2.2	Scalar Dark Matter currents and the chiral effective field theory framework	14
2.2.1	Currents for isoscalar and isovector DM-quark interactions	16
2.2.2	Currents for DM-strange and DM-gluon interactions	20
2.3	Generation of nuclear wave functions and scattering matrix-elements	21
2.3.1	Matrix-elements	21
2.3.2	Nuclear wave functions	24
2.3.3	Chiral expansion and uncertainty estimation	29
2.4	Results and discussion	31
2.4.1	Convergence and uncertainty estimates	31
2.4.2	Discussion	34
2.4.3	The remaining DM interactions	38
2.4.4	Suppressing the leading order contributions	40
2.5	Summary and outlook	43
3	Nuclear Lattice Effective Field Theory	47
3.1	Introduction	47
3.2	The NLEFT formalism	50
4	Sampling general N-body interactions with auxiliary fields	57
4.1	Introduction	60
4.2	Formalism	61
4.3	Numerical results	64
4.4	Summary and discussion	67
5	Currents within a box	69
5.1	Introduction	69

5.2	Analytical solutions to separable potentials	72
5.2.1	Two-body solutions to separable potentials	72
5.2.2	Specific choice of potential	73
5.3	Currents within the box	75
5.3.1	Living within a box	75
5.3.2	Estimation of discretization errors	77
5.3.3	Estimation of Finite-Volume errors	78
5.4	Results	79
5.5	Summary and conclusion	83
6	Applying Twisted Boundary Conditions for few-body nuclear systems	85
6.1	Introduction	88
6.2	Implementation of Twisted Boundary Conditions for N-body systems	89
6.3	Non-relativistic Finite-Volume effects	93
6.4	Applying twists within the NLEFT formalism	97
6.4.1	Twists on the transfer matrix	97
6.4.2	Identification of systematic errors and description of error analysis	100
6.5	Two-body system: the deuteron	102
6.6	Three-body case: the triton	106
6.7	Comment on discretization effects	112
6.8	Conclusion	114
6.9	Acknowledgments	115
7	Conclusion	117
	Appendix	123
A	Scattering currents and recoil rates	123
A.1	Bound state matrix-elements	124
A.1.1	Two body bound states	125
A.2	Recoil rates	129
B	Operator partial wave decomposition	133
B.1	The idea	133
B.2	Partial wave basis of nuclear states	134
B.2.1	Two-nucleon states	134
B.2.2	Three-nucleon states	135
B.3	Advantage of operator decomposition	136
B.4	Example: Dark Matter two-nucleon operator	138
B.5	Current normalization	140
C	NLEFT on GPUs	143
C.1	Hybrid Monte Carlo integration	144

C.2	Hybrid Monte Carlo implementation for NLEFT	148
C.2.1	Computational details	148
C.2.2	Hybrid Monte Carlo workflow	150
C.3	Implementation on GPUs and intermediate results	152
C.3.1	A trial implementation	154
	Bibliography	157
	Acronyms	175